ViewSonic® LED/LCD Monitors

November/December 2012

VA705-LED

Eco-friendly Performance

This ENERGY STAR® certified display comes equipped with a long-lasting and highly efficient power-saving LED backlight as well as ViewSonic's exclusive Eco-mode that reduces power consumption based on different lighting environment and minimizes maintenance effort and costs. Embedded dynamic contrast ratio technology not only enhances the dark and bright contrast of images but helps to produce an ultrahigh 10,000,000:1 ratio to deliver perfect image performance. Built-in sRGB color correction technology ensures accurate image color for consistent color performance for professional presentations, photographs, graphic design and printing. The VA705-LED provides an eco-friendly solution for office applications and enormously boosts work efficiencies.

	17"		19"			
	VA Series VA705-LED	**VG Series VG732m-LED**	**VA Series VA926g**	**VA Series VA926-LED**	**VA Series VA1912a-LED**	**VA Series VA1912m-LED**
Panel Size (in.)	17.0	17.0	19.0	19.0	18.5	18.5
Panel Technology	TN	TN	TN	TN	TN	TN
Backlight	LED	LED	CCFL	LED	LED	LED
Windows® Certified	Windows® 7	Windows® 7	Windows® 7	Windows® 7 Windows® 8	Windows® 7 Windows® 8	Windows® 7 Windows® 8
Brightness - nits (typ)	250	250	250	250	250	250
Contrast Ratio (typ)	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1
Dynamic Contrast Ratio (typ)	10,000,000:1	20,000,000:1	100,000:1	10,000,000:1	10,000,000:1	10,000,000:1
Video Response (ms)	5	5	5	5	5	5
View Angles (Horz. / Vert.)	170° / 160°	170° / 160°	170° / 160°	170° / 160°	170° / 160°	170° / 160°
Optimum Resolution	1280 x 1024	1280 x 1024	1280 x 1024	1280 x 1024	1366 x 768	1366 x 768
Interface	VGA	VGA / DVI	VGA / DVI	VGA / DVI	VGA	VGA / DVI (HDCP)
AutoTune® Function	Yes	Yes	Yes	Yes	Yes	Yes
Pivot (Portrait/Landscape)	—	—	—	—	—	—
OnView® Menu Control	Yes	Yes	Yes	Yes	Yes	Yes
Integrated Speakers	—	Yes	—	—	—	Yes
Ergonomic Adjustments	Tilt	Height, Swivel, Tilt	Tilt	Tilt	Tilt	Tilt
VESA® Wall Mount Option	Yes	Yes	Yes	Yes	Yes	Yes
Net Weight (lb.)	6.4	9.0	9.0	7.7	6.3	6.3
Physical Dimensions W x H x D (in.)	14.9 x 15.8 x 8.3	15.2 x 18.7 x 9.0	16.2 x 17.1 x 7.7	16.2 x 17.1 x 7.7	17.5 x 14.1 x 7.1	17.5 x 14.1 x 7.1
Power Consumption - Watts (typ)	20	15	25	18	15	18
Power Supply	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Cabinet Color	Black	Black	Black	Black	Black	Black
Special Features	ENERGY STAR®, RoHS, Kensington® Lock Slot, Matte Finish, EPEAT Silver Certification	ENERGY STAR®, RoHS, Kensington® Lock Slot, Matte Finish, EPEAT Silver Certification, DVI Cable	OptiSync®, ENERGY STAR®, RoHS, EPEAT Silver Certification	ENERGY STAR®, RoHS TCO' 5.0, Kensington® Lock Slot	ENERGY STAR®, RoHS, Kensington® Lock Slot, Glossy Finish	ENERGY STAR®, RoHS, Kensington® Lock Slot, Glossy FInish

RoHS COMPLIANT™ ENERGY STAR EPEAT SILVER

Sales: (888)881-8781 ▪ salesinfo@ViewSonic.com ▪ ViewSonic.com

For the most current product accessories and specifications visit ViewSonic.com. Three-year limited warranty on parts, labor and LCD light source. Program, specifications and availability are to change without notice. Selection, offers and programs may vary by country; see your ViewSonic representative for complete details. Windows and Windows 7 are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Corporate names, trademarks stated herein are the property of their respective companies. Copyright © 2012 ViewSonic Corporation. All rights reserved. [15989-06B-09/12]

ViewSonic® See the difference®

ViewSonic® LED/LCD Monitors

November/December 2012

VG1932wm-LED

Planet-friendly. Picture Perfect

ViewSonic's VG1932wm-LED backlight LCD is the newest addition to our green-line of LCD monitors. With Mega DCR at 10,000,000:1 you get true-to-life picture depth and clarity in any room. WLED backlight automatically detects image signal and intelligently controls backlight brightness — making the black, pure black in a dark scene and the white, "whiter" in a bright environment. It also automatically adjusts gray level and enhances the LCD monitor's gray level performance range. Ergonomic design with height adjust, swivel and tilt, integrated speakers, DVI input, and Windows® 7 certification make the VG1932wm-LED the best choice for both corporate and education customers.

	19"				20"	
	VA Series VA1948m-LED	**VG Series VG932m**	**VG Series VG932m-LED**	**VG Series VG1932wm-LED**	**VA Series VA2037m-LED**	**VG Series VG2028wm**
Panel Size (in.)	19.0	19.0	19.0	19.0	19.5	20.0
Panel Technology	TN	TN	TN	TN	TN	TN
Backlight	LED	CCFL	LED	LED	LED	CCFL
Windows® Certified	Windows® 7	Windows® 7	Windows® 7 Windows® 8	Windows® 7	Windows® 7 Windows® 8	Windows® 7
Brightness - nits (typ)	250	250	250	250	250	250
Contrast Ratio (typ)	1000:1	400:1	1000:1	1000:1	1000:1	1000:1
Dynamic Contrast Ratio (typ)	10,000,000:1	—	10,000,000:1	10,000,000:1	10,000,000:1	100,000:1
Video Response (ms)	5	5	5	5	5	5
View Angles (Horz. / Vert.)	170° / 160°	170° / 160°	170° / 160°	170° / 160°	170° / 160°	170° / 160°
Optimum Resolution	1440 x 900	1280 x 1024	1280 x 1024	1440 x 900	1600 x 900	1600 x 900
Interface	VGA / DVI (HDCP)	VGA / DVI	VGA / DVI	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI (HDCP)
AutoTune® Function	Yes	Yes	Yes	Yes	Yes	Yes
Pivot (Portrait/Landscape)	—	—	—	—	—	—
OnView® Menu Control	Yes	Yes	Yes	Yes	Yes	Yes
Integrated Speakers	Yes	Yes	Yes	Yes	Yes	Yes
Ergonomic Adjustments	Tilt	Height, Swivel, Tilt	Height, Swivel, Tilt	Height, Swivel, Tilt	Tilt	Height, Swivel, Tilt
VESA® Wall Mount Option	Yes	Yes	Yes	Yes	Yes	Yes
Net Weight (lb.)	7.7	13.6	9.2	11.5	6.2	10.6
Physical Dimensions W x H x D (in.)	18.0 x 15.0 x 8.7	16.2 x 18.8 x 9.1	16.2 x 18.8 x 9.1	18.1 x 17.1 x 9.1	18.6 x 14.0 x 7.1	18.9 x 15.5 x 9.1
Power Consumption - Watts (typ)	18	36	18	17	18	27
Power Supply	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Cabinet Color	Black	Black	Black	Black	Black	Black
Special Features	ENERGY STAR®, RoHS, Kensington® Lock Slot, EPEAT Silver Certification	ENERGY STAR®, RoHS, Kensington® Lock Slot, Matte Finish, EPEAT Silver Certification, DVI Cable	ENERGY STAR®, RoHS, EPEAT Silver Certification	ENERGY STAR®, RoHS, Kensington® Lock Slot, EPEAT Gold Certification, DVI Cable	ENERGY STAR®, RoHS, NOM, VESA Mount, Kensington® Lock Slot	2-port USB 2.0 Hub, Slim Bezel, ENERGY STAR®, EPEAT Silver Certification, DVI Cable

Sales: (888)881-8781 ▪ salesinfo@ViewSonic.com ▪ ViewSonic.com

For the most current product accessories and specifications visit ViewSonic.com. Three-year limited warranty on parts, labor and LCD light source. Program, specifications and availability are to change without notice. Selection, offers and programs may vary by country; see your ViewSonic representative for complete details. Windows and Windows 7 are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Corporate names, trademarks stated herein are the property of their respective companies. Copyright © 2012 ViewSonic Corporation. All rights reserved. [15989-06B-09/12]

ViewSonic® See the difference®

ViewSonic® LED/LCD Monitors

November/December 2012

TD2220

Multi-Touch LED

This 22" (21.5" viewable) multi-touch Full HD LED backlit monitor with 1920 x 1080 resolution comes with integrated speakers, DVI & VGA inputs and VESA mountable design. 20,000,000:1 MEGA Dynamc Contrast Ratio for sharp crisp images, SRS Premium Sound® for crystal clear sound and Eco-mode for up to 40%* energy savings come standard in the new 22" (21.5" viewable) offering. Perfect for both commercial and consumer applications, fully USB HID compliant and certified with Windows® 7, the TD2220 is a one-stop solution for your multi-touch monitor needs. You will also get the most out of your investment with ViewSonic's strongest pixel performance guarantee, 3-year limited warranty, as well as ENERGY STAR and EPEAT Silver certifications.

	22" MULTI-TOUCH					
	VA Series VA2212m-LED	**VA Series VA2232wm-LED**	**VA Series VA2248m-LED**	**VA Series VA2251m-LED / TAA**	**Optical Touch TD2220**	**VG Series VG2228wm-LED**
Panel Size (in.)	21.5	22.0	21.5	21.5	21.5	21.5
Panel Technology	TN	TN	TN	TN	TN	TN
Backlight	LED	LED	LED	LED	LED	LED
Windows® Certified	Windows® 7 Windows® 8	Windows® 7	Windows® 7	Windows® 7 Windows® 8	Windows® 7	Windows® 7
Brightness - nits (typ)	250	250	250	250	200	250
Contrast Ratio (typ)	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1
Dynamic Contrast Ratio (typ)	10,000,000:1	10,000,000:1	10,000,000:1	10,000,000:1	20,000,000:1	10,000,000:1
Video Response (ms)	5	5	5	5	5	5
View Angles (Horz. / Vert.)	170° / 160°	170° / 160°	170° / 160°	170° / 160°	170° / 160°	170° / 160°
Optimum Resolution	1920 x 1080	1680 x 1050	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
Interface	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI (HDCP)
AutoTune® Function	Yes	Yes	Yes	Yes	Yes	Yes
Pivot (Portrait/Landscape)	—	—	—	—	—	—
OnView® Menu Control	Yes	Yes	Yes	Yes	Yes	Yes
Integrated Speakers	Yes	Yes	Yes	Yes	Yes	Yes
Ergonomic Adjustments	Tilt	Tilt	Tilt	Tilt	Tilt	Height, Swivel, Tilt
VESA® Wall Mount Option	Yes	Yes	Yes	Yes	Yes	Yes
Net Weight (lb.)	6.4	8.6	8.0	7.7	10.9	9.8
Physical Dimensions W x H x D (in.)	20.1 x 15.4 x 7.4	20.1 x 16.4 x 7.7	20.8 x 15.8 x 9.0	20.1 x 14.6 x 6.5	20.1 x 14.4 x 9.5	20.1 x 16.2 x 9.1
Power Consumption - Watts (typ)	20	26	26	26	26	21
Power Supply	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Cabinet Color	Black	Black	Black	Black	Black	Black
Special Features	ENERGY STAR®, RoHS, Kensington® Lock Slot, Glossy Finish	Eco-mode for energy saving, RoHS, Kensington® Lock Slot	ENERGY STAR®, RoHS, Kensington® Lock Slot, EPEAT Silver Certification	ENERGY STAR®, RoHS, Kensington® Lock Slot, EPEAT Silver Certification, Matte Finish	Optical Dual Touch, Windows® 7 touch certified, 2-port USB 2.0 Hub, Slim Bezel, ENERGY STAR®, EPEAT Silver Certification	2-port USB 2.0 Hub, Slim Bezel, ENERGY STAR®, RoHS, EPEAT Silver Certification, DVI Cable

Sales: (888)881-8781 ▪ salesinfo@ViewSonic.com ▪ ViewSonic.com

For the most current product accessories and specifications visit ViewSonic.com. * Energy savings may vary based on cost, actual usage, and other factors. Three-year limited warranty on parts, labor and LCD light source. Program, specifications and availability are to change without notice. Selection, offers and programs may vary by country; see your ViewSonic representative for complete details. Windows and Windows 7 are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Corporate names, trademarks stated herein are the property of their respective companies. Copyright © 2012 ViewSonic Corporation. All rights reserved. [15989-06B-09/12]

ViewSonic® See the difference®

ViewSonic® LED/LCD Monitors

November/December 2012

VG2239m-LED

Widescreen with DisplayPort Input

The VG2239m series widescreen monitor is one of two new members of ViewSonic's new VG39 family. Its 22" (21.5" viewable) display with a native 1920x1080 resolution is big enough to replace dual monitor setups. What makes it even more appealing is the LED backlight for up to 50%* energy savings. The Monitor is also fully ergonomic with 90° pivot, height adjust, swivel and tilt. The slim bezel design coupled with hidden stereo speakers make the VG2239m a space saver. You can put it on your desk or mount on your wall or on any VESA compliant monitor stand. With ViewSonic's strongest pixel performance guarantee and 3-year limited warranty, you will have peace of mind in your investment.

	22"		23"		
	VG Series VG2236wm-LED	**VG Series VG2239m-LED / TAA**	**VA Series VA2342-LED**	**VP Series VP2365-LED**	**3D Series V3D231**
Panel Size (in.)	21.5	21.5	23.0	23.0	23.0
Panel Technology	TN	TN	TN	IPS	TN
Backlight	LED	LED	LED	LED	LED
Windows® Certified	Windows® 7	Windows® 7 Windows® 8	Windows® 7 Windows® 8	Windows® 7	Windows® 7
Brightness - nits (typ)	250	250	250	250	250
Contrast Ratio (typ)	1000:1	1000:1	1000:1	1000:1	1000:1
Dynamic Contrast Ratio (typ)	20,000,000:1	20,000,000:1	10,000,000:1	20,000,000:1	20,000,000:1
Video Response (ms)	5	5	5	6	2
View Angles (Horz. / Vert.)	170° / 160°	170° / 160°	170° / 160°	178° / 178°	170° / 160°
Optimum Resolution	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
Interface	VGA / DVI (HDCP)	VGA / DVI / DisplayPort	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI / HDMI (HDCP)
AutoTune® Function	Yes	Yes	Yes	Yes	Yes
Pivot (Portrait/Landscape)	Yes	Yes	—	Yes	—
OnView® Menu Control	Yes	Yes	Yes	Yes	Yes
Integrated Speakers	Yes	Yes	—	—	Yes
Ergonomic Adjustments	Pivot, Height, Swivel, Tilt	Pivot, Height, Swivel, Tilt	Tilt	Pivot, Height, Swivel, Tilt	Tilt
VESA® Wall Mount Option	Yes	Yes	Yes	Yes	Yes
Net Weight (lb.)	9.7	10.3	5.6	11.9	7.9
Physical Dimensions W x H x D (in.)	20.5 x 16.5 x 9.4	20.2 x 16.5 x 9.4	21.6 x 16.3 x 6.5	21.6 x 17.0 x 9.8	21.6 x 15.3 x 7.5
Power Consumption - Watts (typ)	22	22	22	45	36
Power Supply	Integrated	Integrated	Integrated	Integrated	Integrated
Cabinet Color	Black	Black	Black	Black	Black
Special Features	ENERGY STAR®, RoHS, Kensington® Lock Slot, EPEAT Gold Certification, DVI Cable	ENERGY STAR®, RoHS, Kensington® Lock Slot, EPEAT Gold Certification, DVI Cable	ENERGY STAR®, RoHS, Kensington® Lock Slot, EPEAT Silver Certification	4-port USB 2.0 Hub, Slim Bezel, ENERGY STAR®, RoHS, EPEAT Silver Certification, DVI Cable, IPS Panel	3D-ready, HDMI 1.4a, DVI Cable, 3D Glasses Included, SRS Premium Sound, ENERGY STAR®, RoHS

Sales: (888)881-8781 ▪ salesinfo@ViewSonic.com ▪ ViewSonic.com

For the most current product accessories and specifications visit ViewSonic.com. * Energy savings may vary based on cost, actual usage, and other factors.Three-year limited warranty on parts, labor and LCD light source. Program, specifications and availability are to change without notice. Selection, offers and programs may vary by country; see your ViewSonic representative for complete details. Windows and Windows 7 are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Corporate names, trademarks stated herein are the property of their respective companies. Copyright © 2012 ViewSonic Corporation. All rights reserved. [15989-06B-09/12]

ViewSonic® See the difference®

ViewSonic® LED/LCD Monitors

November/December 2012

3D Entertainment Made Easy

23" Wide 3D-Ready LED monitor with 2ms response time for 3D gaming and crystal clear video experience. Native Full HD 1080p resolution, and HDMI® 1.4a input allows for direct connect to 3D Blu-ray or PS3 gaming consoles. Includes polarized 3D glasses, stereo speakers with SRS Premium Sound® technology to deliver immersive surround sound experience. Inexpensive polarized 3D glasses make it easy to outfit your entire family, work group, or classroom. Also includes TriDef 3D suite software to convert 2D PC images to 3D, and play over 370 PC based video games in amazing 3D quality.

	24"					
	VA Series VA2406m-LED	**VA Series VA2431wm**	**VA Series VA2448m-LED**	**VA Series VA2451m-LED / TAA**	**VG Series VG2428wm**	**VG Series VG2428wm-LED**
Panel Size (in.)	23.6	23.6	23.6	23.6	23.6	23.6
Panel Technology	TN	TN	TN	TN	TN	TN
Backlight	LED	CCFL	LED	LED	CCFL	LED
Windows® Certified	Windows® 7 Windows® 8	Windows® 7	Windows® 7	Windows® 7 Windows® 8	Windows® 7 Windows® 8	Windows® 7 Windows® 8
Brightness - nits (typ)	270	300	300	300	300	300
Contrast Ratio (typ)	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1
Dynamic Contrast Ratio (typ)	10,000,000:1	100,000:1	10,000,000:1	10,000,000:1	100,000:1	10,000,000:1
Video Response (ms)	5	5	5	5	5	5
View Angles (Horz. / Vert.)	170° / 160°	170° / 160°	170° / 160°	170° / 160°	170° / 160°	170° / 160°
Optimum Resolution	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
Interface	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI (HDCP)
AutoTune® Function	Yes	Yes	Yes	Yes	Yes	Yes
Pivot (Portrait/Landscape)	—	—	—	—	Yes	Yes
OnView® Menu Control	Yes	Yes	Yes	Yes	Yes	Yes
Integrated Speakers	Yes	Yes	Yes	Yes	Yes	Yes
Ergonomic Adjustments	Tilt	Tilt	Tilt	Tilt	Pivot, Height, Swivel, Tilt	Pivot, Height, Swivel, Tilt
VESA® Wall Mount Option	Yes	Yes	Yes	Yes	Yes	Yes
Net Weight (lb.)	9.3	11.2	10.1	8.8	15.4	14.3
Physical Dimensions W x H x D (in.)	21.9 x 16.5 x 8.6	22.1 x 16.8 x 8.4	22.6 x 16.9 x 9.2	22.1 x 16.4 x 7.9	22.2 x 17.4 x 9.8	22.2 x 17.4 x 9.8
Power Consumption - Watts (typ)	30	50	29	28	45	32
Power Supply	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Cabinet Color	Black	Black	Black	Black	Black	Black
Special Features	ENERGY STAR®, RoHS, Kensington® Lock Slot, EPEAT Silver Certification	Eco-mode for energy saving, RoHS, Kensington® Lock Slot, ENERGY STAR®, EPEAT Silver Certification	Eco-mode for energy saving, RoHS, Kensington® Lock Slot, ENERGY STAR®, EPEAT Silver Certification	ENERGY STAR®, RoHS, Kensington® Lock Slot, EPEAT Silver Certification, Matte Finish	2-port USB 2.0 Hub, OptiSync®, Slim Bezel, ENERGY STAR®, EPEAT Silver Certification, DVI Cable	2-port USB 2.0 Hub, OptiSync®, Slim Bezel, ENERGY STAR®, EPEAT Silver Certification, DVI Cable

RoHS COMPLIANT™ ENERGY STAR AMD HD3D TECHNOLOGY

HDMI® HIGH DEFINITION MULTIMEDIA INTERFACE

Sales: (888)881-8781 ▪ salesinfo@ViewSonic.com ▪ ViewSonic.com

For the most current product accessories and specifications visit ViewSonic.com. Three-year limited warranty on parts, labor and LCD light source. Program, specifications and availability are to change without notice. Selection, offers and programs may vary by country; see your ViewSonic representative for complete details. HDMI, the HDMI Logo, and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries. SRS and Premium Sound are trademarks of SRS Labs, Inc. Windows and Windows 7 are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Corporate names, trademarks stated herein are the property of their respective companies. Copyright © 2012 ViewSonic Corporation. All rights reserved. [15989-06B-09/12]

ViewSonic® See the difference®

ViewSonic® LED/LCD Monitors

November/December 2012

VP2770-LED

Professional-grade Monitor for Pros

The VP2770-LED 27" Wide Super IPS LED monitor features 2560x1440 resolution, providing stunning high definition details with nearly 80% more pixels than a standard 1080p display. With support for 1.07 billion colors, a high 20,000,000:1 MEGA Dynamic Contrast Ratio, and super wide 178/178 degree viewing angles, the VP2770-LED is the ultimate professional grade LCD monitor for design, digital photography, video production, architecture or any other application where true color and total screen viewing is essential. Flexible connectivity options include DisplayPort, HDMI, Dual-Link DVI and VGA, along with 4 USB ports for connecting your peripherals. The ergonomic stand provides height adjust, swivel, tilt and pivot for maximum comfort. professional display needs.

IPS

WQHD 2560x1440

4 USB

SLIM BEZEL

	24" Webcam			27"		
	VG Series VG2436wm-LED	**VG Series VG2437mc-LED**	**VG Series VG2439m-LED / TAA**	**VP Series VP2765-LED**	**VP Series VP2770-LED**	**VG Series VG2732m-LED**
Panel Size (in.)	23.6	23.6	23.6	27.0	27.0	27.0
Panel Technology	TN	TN	TN	MVA	IPS	TN
Backlight	LED	LED	LED	LED	LED	LED
Windows® Certified	Windows® 7	Windows® 7 Windows® 8	Windows® 7 Windows® 8	Windows® 7	Windows® 7 Windows® 8	Windows® 7 Windows® 8
Brightness - nits (typ)	300	300	300	300	300	300
Contrast Ratio (typ)	1000:1	1000:1	1000:1	3000:1	1000:1	1200:1
Dynamic Contrast Ratio (typ)	20,000,000:1	20,000,000:1	20,000,000:1	20,000,000:1	20,000,000:1	20,000,000:1
Video Response (ms)	5	5	5	25	12	3
View Angles (Horz. / Vert.)	170° / 160°	170° / 160°	170° / 160°	178° / 178°	178° / 178°	170° / 160°
Optimum Resolution	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080	2560x1440	1920 x 1080
Interface	VGA / DVI (HDCP)	VGA / DVI / DisplayPort (HDCP)	VGA / DVI / DisplayPort (HDCP)	VGA / DVI / Displayport (HDCP)	VGA / Dual-Link DVI / HDMI / Displayport (HDCP)	VGA / DVI / Displayport (HDCP)
AutoTune® Function	Yes	Yes	Yes	Yes	Yes	Yes
Pivot (Portrait/Landscape)	Yes	Yes	Yes	Yes	Yes	Yes
OnView® Menu Control	Yes	Yes	Yes	Yes	Yes	Yes
Integrated Speakers	Yes	Yes	Yes	—	—	Yes
Ergonomic Adjustments	Pivot, Height, Swivel, Tilt	Pivot, Height, Swivel, Tilt	Pivot, Height, Swivel, Tilt	Pivot, Height, Swivel, Tilt	Pivot, Height, Swivel, Tilt	Pivot, Height, Swivel, Tilt
VESA® Wall Mount Option	Yes	Yes	Yes	Yes	Yes	Yes
Net Weight (lb.)	11.9	11.5	11.4	18.6	18.6	14.5
Physical Dimensions W x H x D (in.)	22.3 x 17.1 x 9.4	21.9 x 17.8 x 9.4	22.1 x 17.1 x 9.4	25.3 x 18.3 x 15.3	25.3 x 18.5 x 13.7	25.3 x 17.0 x 9.5
Power Consumption - Watts (typ)	30	24.5	24	55	40	55
Power Supply	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Cabinet Color	Black	Black	Black	Black	Black	Black
Special Features	ENERGY STAR®, RoHS, Kensington® Lock Slot, EPEAT Gold Certification, DVI Cable	Integrated Webcam with mic, ENERGY STAR®, EPEAT Silver Certification, RoHS	ENERGY STAR®, RoHS, Kensington® Lock Slot, EPEAT Gold Certification, DVI Cable	DisplayPort, 4-port USB 2.0 HUB, Slim Bezel, ENERGY STAR®, RoHS, EPEAT Silver Certification, DVI Cable, Advanced MVA Panel	DisplayPort, 4-port USB (2x v2.0, 2x v3.0) HUB, Slim Bezel, ENERGY STAR®, RoHS, EPEAT Silver Certification, DVI Cable, DisplayPort Cable	DisplayPort, 2-port USB 2.0 HUB, Slim Bezel, ENERGY STAR®, RoHS, EPEAT Silver Certification, DVI Cable

Sales: (888)881-8781 ▪ salesinfo@ViewSonic.com ▪ ViewSonic.com

For the most current product accessories and specifications visit ViewSonic.com. Three-year limited warranty on parts, labor and LCD light source. Program, specifications and availability are to change without notice. Selection, offers and programs may vary by country; see your ViewSonic representative for complete details. Windows and Windows 7 are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Corporate names, trademarks stated herein are the property of their respective companies. Copyright © 2012 ViewSonic Corporation. All rights reserved. [15989-06B-09/12]

ViewSonic® See the difference®